




www.1proline.com
email:Bench@1proline.com

THE #1 MANUFACTURER OF WIRE HARNESS ASSEMBLY STATIONS



The EWH Electric Height Adjustable Wire Harness assembly benches are designed for the ergonomic assembly of wire harnesses. The unit comes with a 72" x 36" platform capable of holding boards from 24" wide to 24" long up to 48" wide x 96" long. The platform comes with an adjustable front rail that captivates boards from .250" thick to .750" thick. The EWH features a 60 degree electric foot pedal operated tilt with 600 pounds capacity. When the EWH is fully tilted the front edge of the board adjusts from 24.5" to 40.5" via foot pedal.

PART NO.	DESCRIPTION	Wgt.(lbs)
EWH7236 72"Lx36"W	Wire harness table with a 72"L x 36" W platform to hold wire harness assembly boards. With electric height adjustment and electric tilt.	327

Bench in a box



Bar coded inventory for your warehouse.
With the bench in a box series you can easily inventory the units until you need them.
The bench in the box series has each bench packaged separately and complete.
Pre-kitted units take the guess work out of configuring the bench you need.

Our EWH and MWH Wire Harness benches also ship as part of our "Bench in a Box" Series. Each bench is packaged individually with it's own set of assembly instructions, hardware kit and harness bench.


Use Part # BIB21 for MWH7236
Use Part # BIB22 for EWH7236

Wire Harness Station 84" long x 42" deep when 3" high front and rear lip are flat. Solid Maple Work surface pivots up to 90 degrees locks in five positions. Work surface adjusts via pull pin from 32" to 44" high in 4" increments when in the flat position. Horizontal leg slides in 7" on either side for storage.



THE #1 MANUFACTURER OF WIRE HARNESS ASSEMBLY STATIONS

PART NO.	DESCRIPTION	Wgt.(lbs)
WH8442/SK 84"Lx42"Deep	Wire harness table with a 84"L x 42" deep platform to hold wire harness assembly boards. With manual tilt and manual pull pin height adjustment. 3" folding lip front and rear	286



The FLWH4880 Allows you to adjust the surface height from 28" to 34" via pull-pin adjustment. Adjustable front lip can be bolted to the end of the cantilever support or adjusted inwards in 1" increments to change the pitch of the board. Single sided or double sided

Painted steel frames are 80" high x 48" wide. Cantilever arms extend 27" from frame. Open frame channel accepts Pro-Line modular accessories.

PART NO.	DESCRIPTION	Wgt.(lbs)
FLWH4880S 48"Lx80"Hx30.25"	Flexline wire harness bench. 80"high x 48" wide x 30.25" deep. Cantilever arms adjust from 28" to 34" on 1" increments. Front lip adjusts in on 1" increments. Single Sided	110
FLWH4880S 48"Lx80"Hx57.75"	Flexline wire harness bench. 80"high x 48" wide x 30.25" deep. Cantilever arms adjust from 28" to 34" on 1" increments. Front lip adjusts in on 1" increments. Double Sided	145

Pro-Line Ergoline hand crank height adjustable work bench, with built in 90 degree electric tilt. Included with the tilt is our adjustable front lip to captivate the wire harness board.

The work surface adjusts up and down via hand crank and the tilt works via foot pedal.

Shown with optional, louvered bin arms, uprights, overhead light with tool balancer, personal fan and steel board to attach drawings with magnets.



PART NO.	DESCRIPTION	Wgt.(lbs)
EL6030/WH48/90 60"x30"x30"/42	Hand crank height adjustable work bench 60"L x 30"D to 42"H. Price includes 48"x 30" 90 degree electric tilt section with front lip.	195
ABH-1/E 17"x18"x30"	Articulating Bin Arm, painted steel louvered panel 17"H x18"W extends up to 30" from upright with extra arm to extend past harness frame.	35



ELECTRIC HEIGHT ADJUSTABLE WIRE HARNESS BENCH 96" LONG X 36" DEEP and 48" deep. WHEN FULLY TILTED FRONT EDGE OF FRAME IS 24.5" FROM FLOOR AND ADJUSTS UP TO 40.5". PRICE INCLUDES FRONT LIP TO CAPTIVATE BOARD. FOOT PEDAL OPERATION HEIGHT ADJUSTABLE.

The 36" deep model features a dual motor tilt system and the 48" model features dual motor tilt and quad motor lift.

PART NO.	DESCRIPTION	Wgt.(lbs)
EWH9636 96"Long x 36"	Wire harness table with a 96"L x 36"W platform to hold wire harness assembly boards. With electric height adjustment and electric tilt.	436
EWH9648 96"Long x 48" deep	Wire harness table with a 96"L x 48"W platform to hold wire harness assembly boards. With electric height adjustment and electric tilt.	489

Up to 40' long wire harness bench



Joinable Wire Harness Station 96" long x 48" deep x 29.250" high when in the flat. Unit adjusts via an electric lead screw. Price includes an 80 degree electric tilt. Both height and tilt adjustment to work via foot pedal. Price includes Master control box that allows benches to be bolted together, any of the connected benches can be designated as master and the balance of the connected benches to work in unison with the master.

THIS UNIT SHIPS ASSEMBLED ONLY.

PART NO.	DESCRIPTION	Wgt.(lbs)
WHJ9648/80/EX 84"Lx42"Deep	Wire harness table with a 96"L x 48" W platform to hold wire harness assembly boards. Electric height adjustment with 80 degree tilt, can be connected together.	286



The MWH Manual Height Adjustable Wire Harness assembly benches are designed for the ergonomic assembly of wire harnesses. The unit comes with a 72" x 36" platform capable of holding boards from 24" wide to 24" long up to 48" wide x 96" long. The platform comes with an adjustable front rail that captivates boards from .250" thick to .750" thick. The MWH7236 features a 60 degree 13 position 150 pound capacity tilt. The MWH9636 features a 250 pound capacity.

PART NO.	DESCRIPTION	Wgt.(lbs)
MWH7236 72"Lx36"W	Wire harness table with a 72"L x x36" W platform to hold wire harness assembly boards. With hand crank height adjustment and manual tilt.	240
MWH9636 96"Lx36"W	Wire harness table with a 96"L x x36" W platform to hold wire harness assembly boards. With hand crank height adjustment and manual tilt.	240
PCN6696TR 96"Lx6"Dx6"H	Pivoting tool tray counter balanced to stay level as frame is tilted. 96" long x 6" deep x 6" high. Painted steel to match frame	65
PCN6672TR 72"Lx6"Dx6"H	Pivoting tool tray counter balanced to stay level as frame is tilted. 72" long x 6" deep x 6" high. Painted steel to match frame	65
CPMWH 2"x4"x.090	Connecting Bracket for the Manual Wire Harness bench, allows for the MWH to be bolted together. Set of 4. MUST BE ORDERED INITIALLY, CANNOT BE AN ADD ON	2

